


ODYSSEY™

THE EXTREME BATTERY

APPLICATION GUIDE



Motorcycles

CC	MODEL	YEAR	REPLACEMENT BATTERY
ATK			
	All Electric Start Models	91-95	PC 310 ^{*1}
BMW			
1200	K1200RS, LT	97-	PC 680
1200	R1200C	98-	PC 680
1150	R1150GS, R	00-	PC 680
1100	R1100GS	94-00	PC 680
1100	R1100R	94-00	PC 680
1100	R1100RS, RT	93-	PC 680
1100	R1100S	99-	PC 680
1100	K1100LT/RS	90-95	PC 680
1000	All "K" Models	83-93	PC 925L
1000	R100/7	76-84	PC 925L
1000	100RS	83	PC 680
1000	R100GS,PD,R,RS,RT	87-95	PC 925L
1000	R100CS	76-84	PC 925L
900	R90/6, R90S	69-76	PC 925L
850	R850R	95-97	PC 680
800	R80GS,R80ST	80-96	PC 680
800	R80, R80RT	84-95	PC 925L
800	R80/7, R80RT	78-84	PC 925L
750	K75, RT	85-95	PC 925L
750	K75C, S	85-95	PC 680
750	R75/5	70-73	PC 680
750	R75/7	76-84	PC 925L
750	R75/6	69-76	PC 925L
650	R65	84-95	PC 925L
650	R65LS	78-84	PC 680
600	R60/5	70-73	PC 680
600	R60/6, R60/7	69-84	PC 925L
500	R50/5	70-73	PC 680
BUELL			
1200	S1 Lightning	96-99	PC 545MJ ^{*2}
1200	X1, S3, S3T, M2	ALL	PC 545MJ
1200	S2, S2T, RR1200, RS1200, RSS1200	ALL	PC 545MJ
1000	RR1000	87	PC 545MJ
CCM			
	All Electric Start Models	96-01	PC 310 ^{*1}
DUCATI			
907	I.E. Paso	90-94	PC 535
906	Paso	90-92	PC 535
860	GT, GTS	ALL	PC 925L
750	GT, Luguna Seca	ALL	PC 925L
500	GTL, GTV, Sport	ALL	PC 680
HARLEY DAVIDSON			
1450	FXD	99-05	PC 545
1450	FXST, FLST	00-05	PC 545MJ
1450	FL, FLH	99-05	PC 925LMJ
1340	FXD Series	97-96	PC 545
1340	FXST Series	91-99	PC 545MJ
1340	FXR	99-00	PC 535
1340	FX/FXR	79-94	PC 535
1340	FLST Series	97-99	PC 545MJ
1340	FLST Series	91-96	PC 545MJ
1340	FL, FLH	97-98	PC 925LMJ
1340	FL, FLH, FLT, FLHT	80-96	PC 680MJ

*1 Battery installation requires rerouting of battery cables

*2 Requires shim pad in lower battery tray

*3 PC545 is 24mm lower in height than OEM battery

CC	MODEL	YEAR	REPLACEMENT BATTERY
HARLEY DAVIDSON continued			
1200	XL, XLH	97-03	PC 545 ^{*2}
1200	XL, XLH	87-96	PC 535
1200	FX Series (Elec S)	71-78	PC 535
1100	XL Series	87-93	PC 535
1000	XL Series	79-85	PC 535
1000	XLH Sportster	67-78	PC 535
1000	XLX-61, XR1000	83-85	PC 535
883	XL, XLH	97-03	PC 545 ^{*2}
883	XLH	86-96	PC 535
HONDA			
1800	GL 1800, Gold Wing	01-05	PC 545 ^{*3}
1800	VTX1800C, VTX1800R Retro	02-05	PC 545 ^{*3}
1500	GL1500 Gold Wing	88-00	PC 680MJ ^{*1}
1200	GL1200 Gold Wing	84-87	PC 680MJ ^{*1}
1100	GL1100 Gold Wing	80-83	PC 680MJ ^{*1}
1000	CBX1000, SS opt.	82	PC 680MJ ^{*1}
1000	GL1000 Gold Wing	75-79	PC 680MJ ^{*1}
900	CBR900R, RR	93-99	PC 310 ^{*1}
750	CB750A Hondamatic	76-78	PC 680MJ ^{*1}
750	RVF750R (RC45)	94	PC 310 ^{*1}
750	VFR750R (RC30)	90	PC 310 ^{*1}
650	NT650 Hawk GT	88-91	PC 310 ^{*1}
650	NT650V	ALL	PC 310 ^{*1}
650	NX650	88-89	PC 310 ^{*1}
650	SLR650	ALL	PC 310 ^{*1}
650	Vigor 650	ALL	PC 310 ^{*1}
650	XR650L	93-05	PC 310 ^{*1}
600	VT600C, CD Shadow Deluxe, VLX	88-03	PC 310 ^{*1}
600	CBR600	87-00	PC 310 ^{*1}
400	CB400F CB-1	89-90	PC 310 ^{*1}
200	TR200 Fat Cat	86	PC 310 ^{*1}
150	CH150 Elite	87	PC 310 ^{*1}
150	FES150	ALL	PC 310 ^{*1}
125	FES125	ALL	PC 310 ^{*1}
125	Pantheon 125	ALL	PC 310 ^{*1}
HUSABERG			
	All Electric Start Models	97-00	PC 310 ^{*1}
KAWASAKI			
1500	VN 1500-A Vulcan 88, SE	87-98	PC 680MJ
1500	VN 1500-C Vulcan, 1500L	96-97	PC 680MJ
1300	KZ 1300 Touring	79-82	PC 680MJ
1000	KZ 1000-P Police	82-05	PC 545MJ
1000	Z1000	03-04	PC 310 ^{*1}
900	ZX900-C, Ninja (ZX-9R)	98-99	PC 310 ^{*1}
900	ZX900-E,F Ninja (ZX-9R)	00-04	PC 310 ^{*1}
750	KZ750-L Ninja	93	PC 310 ^{*1}
750	ZX750 Ninja ZX, 7RR	91-97	PC 310 ^{*1}
650	KLX650C, R	93-96	PC 310 ^{*1}
636	ZX636-B Ninja ZX-6R	03-04	PC 310 ^{*1}
600	ZX600-G, J Ninja ZX-6R	98-02	PC 310 ^{*1}
600	ZX600-K Ninja ZX-6RR	03	PC 310 ^{*1}
KTM			
640	Adventurer, Duke, RXC LC4 Super Moto	99-02	PC 310 ^{*1}
620	Adventure, Duke, LC4	96-98	PC 310 ^{*1}
400	LC4 E/XC	96-98	PC 310 ^{*1}
400	RXC LC4	96-01	PC 310 ^{*1}

Motorcycles continued

CC	MODEL	YEAR	REPLACEMENT BATTERY
MOTO GUZZI			
1100	1100 Calif, Special, Jackel, Stone, EV	94-05	PC 925L
1100	Quota 1100 ES	99-02	PC 545
1100	Sport 1100I	97-99	PC 545
1100	VII EV	98-99	PC 925L
1100	VII Bassa	99-00	PC 925L
1000	Califonia III	89-93	PC 925L
1000	Convert, Daytona, LeMans, Millie 1000NT, Quota	ALL	PC 925L
850	LeMans	ALL	PC 925L
850	T3, T4, T5	ALL	PC 925L
750	Nevada, NTX, Strada	ALL	PC 680
750	V7	ALL	PC 925L
750	V75	ALL	PC 680
650	NTX	ALL	PC 680
650	V65	ALL	PC 925L
650	V65 Florida	ALL	PC 680
500	V50	ALL	PC 925L
MV AUGUSTA			
750	F4, Brutale	00-04	PC 310 ^{*1}
POLARIS VICTORY			
1507	All Models	ALL	PC 545
SUZUKI			
1400	GV 1400GC, D, T Cavalcade	86-88	PC 680MJ
900	RF900, R, S, ZS	94-97	PC 310 ^{*1}
750	GSX750F Katana	98-03	PC 310 ^{*1}
750	GSX-R750	96-99	PC 310 ^{*1}
750	GSXR750W	94-95	PC 310 ^{*1}
650	DR650SE	98-04	PC 310 ^{*1}
650	DR650SE (CN)	96-97	PC 310 ^{*1}
600	GSF600S Bandit	96-03	PC 310 ^{*1}
600	GSX600F Katana	98-04	PC 310 ^{*1}
600	GSX-R600	97-03	PC 310 ^{*1}
600	RF600R, S	94-96	PC 310 ^{*1}
400	GSF400 Bandit	91-93	PC 310 ^{*1}
TRIUMPH			
600	Daytona 600	03-04	PC 310 ^{*1}
YAMAHA			
1600	XV 1600 Road Star	99-03	PC 545 ^{*3}
1300	1300 Royal Star	96-03	PC 545 ^{*3}
1300	XVZ Venture Royale	86-93	PC 680MJ
1200	XVZ12T Venture Royal	83-85	PC 680MJ
1100	XJ1100 Maxim	82	PC 680MJ
1100	XS 1100 All	78-81	PC 680MJ
1100	XV 1100, S	86-99	PC 680MJ
1100	XV 1100 Virago	86-99	PC 680MJ
1000	XV 1000 Virago	84-85	PC 680MJ
920	XV 920 Virago	82	PC 680MJ
920	XV 920M Midnight Virago	83	PC 680MJ
920	XV 920, R Virago	81-83	PC 680MJ
600	XJ600S Seca II	92-98	PC 310 ^{*1}
600	XT600E	90-95	PC 310 ^{*1}

*1 Battery installation requires rerouting of battery cables

*2 Requires shim pad in lower battery tray

*3 PC545 is 24mm lower in height than OEM battery

Utility Vehicles

CC	MODEL	YEAR	REPLACEMENT BATTERY
KAWASAKI			
620	KAF620, Mule 3010 4X4 Advantage Classic	03-05	PC 625
620	KAF620, Mule 3000, 3010, 3020, 2500, 2510, 2520	ALL	PC 625
540	KAF540, Mule 2010, 2020, 2030	ALL	PC 625
450	KAF450, Mule 1000	ALL	PC 625
POLARIS			
500	Ranger 6x6, 4x4	98-03	PC 925L
425	Ranger 2x4	02-03	PC 925L
ATV			
BOMBARDIER			
650	DS650	00-03	PC 545
650	Quest	02-03	PC 625
650	Quest (Opt)	02-03	PC 680
500	Traxter (All Models), Quest	99-03	PC 625
500	Traxter (All Models), Quest (Opt)	02-03	PC 680
400	Outlander 400XT, Max	04	PC 545 ^{*3}
400	Outlander 400	03	PC 545
330	Outlander 330	04	PC 545
CANNONDALE			
	Blaze, Cannibal, Moto 440, Speed	02-03	PC 310 ^{*1}
432	FX400	01	PC 310 ^{*1}
E-TON			
150	CXL 150 Yukon	02-03	PC 310 ^{*1}
150	YXL 150 Yukon	00-01	PC 310 ^{*1}
HONDA			
650	TRX650 FourTrax Rincon - Opt. Cold Starting	03-04	PC 545 ^{*3}
400	TRX400EX, Sportrax	99-05	PC 310 ^{*1}
300	TRX300EX, Sportrax	93-03	PC 310 ^{*1}
250	TRX250EX, Sportrax	01-05	PC 310 ^{*1}
125	TRX125 FourTrax	87-88	PC 310 ^{*1}
KAWASAKI			
400	Klf400-b Bayou 400 4x4	93-00	PC 625
400	KVF400-A Prairie 400 4x4 (CN)	97-00	PC 625
400	KVF400-B Prairie 400 (CN)	98-00	PC 625
400	KSF400-A (KFX400)	03-04	PC 310 ^{*1}
300	KLF300-A Bayou	86-87	PC 625
300	KLF300-B Bayou (CN)	92-99	PC 625
300	KLF300-C Bayou 300 4x4 (CN)	92-05	PC 625
300	KVF300-A Prairie 300, 4x4 (CN)	99-01	PC 625
300	KVF300-B Prairie 300, 4x4 (CN)	99-02	PC 625
POLARIS			
800	Sportsman	05	PC 925L
700	Sportsman	02-05	PC 925L
600	Sportsman	04-05	PC 925L
500	Predator 500	03	PC 310 ^{*1}
450	Diesel .445 Liter (primary)	99-03	PC 925L
SUZUKI			
400	LT-Z400 QuadSport	03-05	PC 310 ^{*1}
300	LT-F300F KingQuad (CN, Opt)	99-02	PC 680
280	LT-F4WDX KingQuad (CN< Opt)	91-99	PC 680

Utility Vehicles continued

CC	MODEL	YEAR	REPLACEMENT BATTERY
SUZUKI continued			
250	LT-4WD QuadRunner (Opt)	87-99	PC 680
250	LT-F250 QuadRunner (Opt)	88-01	PC 680
250	LT-F250F QuadRunner (CN, Opt)	99-02	PC 680
250	LT250EF QuadRunner	85-86	PC 680

YAMAHA			
660	YFM660FW Grizzly	02-03	PC 545 ³
600	YFM600FW Grizzly	98-01	PC 545 ³
450	YFM450FW Kodiak/Automatic	03	PC 545 ³
400	YFK400FW Kodiak/Automatic	96-02	PC 545 ³
400	YFM400N Big Bear 2WD	00-03	PC 545 ³
400	YFM400FVN Big Bear 4WD	00-03	PC 545 ³

Personal Watercraft

ARCTIC CAT			
	Tiger Shark (All Models)	93-01	PC 535

BOMBARDIER - SEADOO			
1500	GTX 4-Tec, RXP	03-04	PC 925L
1500	All Other Models	94-04	PC 625
1500	All Models	88-93	PC 625

HONDA			
1235	Aqua Trax F-12, F-12X	02-05	PC 545 ³
1235	Aqua Trax R-12, R12X	03-05	PC 545 ³

KAWASAKI			
1500	JT1500-C STX-15F	04	PC 545 ³
1200	JH1200-A, B Ultra 150	99-05	PC 545 ³
1200	JH1200-A, B, C, STX-R, STX-12F	02-05	PC 545 ³
1100	JH1100-B Ultra 130	01-05	PC 545 ³
1100	JH1100 Zxi	96-03	PC 545 ³
1100	JT1100 STX	97-03	PC 545 ³
900	JH900 Zxi	95-97	PC 545 ³
900	JT900 STS, STX	97-05	PC 545 ³
800	JS800 SX-R	03-05	PC 545 ³
750	JH750 SS	92-97	PC 625
750	JH750 ST	96	PC 545 ³
750	JH750 ST	95	PC 625
750	JH750 Xi	93-99	PC 625
750	JH750 XiR	94	PC 625
750	JH750 Zxi	95-97	PC 545 ³
750	JS750 SX, ZX	92-95	PC 625
750	JS750 Sxi, Sxi Pro	95-02	PC 545 ³
750	JT750 XiR, ST, STS	94-95	PC 625
750	JT750 STS, STX	96-98	PC 545 ³
650	JF650 X2	86-95	PC 625
650	JF650 TS	89-96	PC 625
650	JL650 SC	91-95	PC 625
650	JS650 SX	87-95	PC 625

CC	MODEL	YEAR	REPLACEMENT BATTERY
KAWASAKI continued			
550	JS550 SX	86-95	PC 625
550	JS550	82-85	PC 545 ³
440	JS440	87-92	PC 545 ³
440	JS440	77-86	PC 545 ³
440	JS440	76	PC 625
300	JS300 TS, SX	86-91	PC 625

POLARIS			
All Sizes	All Models	ALL	PC 625

S.O.S Marine Mfg			
All Sizes	All Models	ALL	PC 535

ULTRANAUTICS			
800	Sea Flash	89-92	PC 925L
800	Wet Bike	87-92	PC 925L
800	Jet Star 1250 (Boat)	88-90	PC 925L
800	Jet Star 1260 (Boat)	91	PC 925L

WET JET			
All Sizes	All Models	ALL	PC 535

YAMAHA			
All Sizes	All Models	87-05	PC 625

Snowmobile

ARCTIC CAT			
	All EFI Models 500cc and Over	ALL	PC 680MJ

BOMBARDIER - SKI DOO			
	All 4-Stroke	03	PC 680MJ
	All Models	90-98	PC 680MJ
	CK3 Types	99-03	PC 680MJ

KAWASAKI			
	All Models	ALL	PC 680MJ

POLARIS			
	All Electric Start Kits	85-93	PC 680MJ
	Indy, Indy Trail	84-91	PC 680MJ
	Wide Track	89-01	PC 680MJ

YAMAHA			
700	VX700XTCD Vmax XTC Deluxe	98	PC 680MJ
700	VX700ER/DX Vmax Deluxe	99-02	PC 680MJ
700	VT700 Venture	98-02	PC 680MJ
700	SXV700ER Viper	02	PC 680MJ
600	VX600ER Vmax ER	02	PC 680MJ
600	VX600DX Vmax Deluxe	99-01	PC 680MJ
600	VT600 Venture	99-02	PC 680MJ
540	EC Excel	79-80	PC 680MJ
340	ET E Enticer	79	PC 680MJ

*1 Battery installation requires rerouting of battery cables *2 Requires shim pad in lower battery tray *3 PC545 is 24mm lower in height than OEM battery
 Note: In personal watercraft PC625 can replace the PC545 as an upgrade provided an additional 13mm in width and 44 mm height is acceptable.
 PC625 can also replace YTX20-L-BS provided an additional 19mm height is acceptable.



www.odysseyfactory.com

EnerSys
 P.O. Box 14145
 Reading, PA 19612-4145
 USA
 Tel: +1-610-208-1991
 +1-800-538-3627
 Fax: +1-610-372-8613

EnerSys Limited
 Rake Lane,
 Clifton Junction,
 Swinton, Manchester
 M27 8LR, UK
 Email: odyssey.sales@uk.enersys.com
 Tel: +44 (0)161 794 4611
 Fax: +44 (0)161 727 3809

Contact:

© 2005 EnerSys. All rights reserved.
 Trademarks are the property of EnerSys
 and its affiliates unless otherwise noted.